

# AMACO® /BRENT® POTTER'S WHEEL COMPARISON CHART

Wheel Model Photos are shown to scale for size comparison.	Capacity	Motor	Dimensions	Shipping Weight	RPM/ Speed	Drive
<b>CXC</b> 	100 lbs.	Permanent Magnet, DC 1 HP 10 amps	21" w 26 <sup>3</sup> / <sub>4</sub> " d 19 <sup>3</sup> / <sub>4</sub> " h	129 lbs.	Variable 0-240 rpm	Belt
<b>C</b> 	75 lbs.	Permanent Magnet, DC <sup>3</sup> / <sub>4</sub> HP 7 amps	21" w 26 <sup>3</sup> / <sub>4</sub> " d 19 <sup>3</sup> / <sub>4</sub> " h	121 lbs.	Variable 0-240 rpm	Belt
<b>EX</b> 	100+ lbs.	Permanent Magnet, DC 1 <sup>1</sup> / <sub>2</sub> HP 15 amps	21" w 26 <sup>3</sup> / <sub>4</sub> " d 19 <sup>3</sup> / <sub>4</sub> " h	143 lbs.	Variable 0-240 rpm	Belt
<b>B</b> 	50 lbs.	Permanent Magnet, DC <sup>1</sup> / <sub>2</sub> HP 5 amps	21" w 26 <sup>3</sup> / <sub>4</sub> " d 19 <sup>3</sup> / <sub>4</sub> " h	119 lbs.	Variable 0-240 rpm	Belt
<b>IE</b> 	20 lbs.	Permanent Magnet, DC <sup>1</sup> / <sub>4</sub> HP 5 amps	32" w 24" d 19 <sup>3</sup> / <sub>4</sub> " h	80 lbs.	Variable 0-240 rpm	Belt
<b>A</b> 	25 lbs.	Permanent Magnet, DC <sup>1</sup> / <sub>3</sub> HP 6 amps	15 <sup>1</sup> / <sub>2</sub> " w 17" d 18 <sup>3</sup> / <sub>4</sub> " h	59 lbs.	Variable 0-240 rpm	Belt
<b>IE-X</b> 	25 lbs.	Permanent Magnet, DC <sup>1</sup> / <sub>3</sub> HP 6 amps	32" w 24" d 19 <sup>3</sup> / <sub>4</sub> " h	83 lbs.	Variable 0-240 rpm	Belt

# AMACO® /BRENT® POTTER'S WHEEL COMPARISON CHART

Voltage	Wheel Head	Shaft Bore	Price	Special Features	Wheel Model
110-120V AC*	14" Aluminum with Bat Pins	N/A	\$1275.00	Digital PWM control, which automatically adjusts torque and speed based on load while delivering superior pedal response, solid steel table, electronic speed controls, automatic belt tensioning, 8-groove poly-v drive belt, powerful cast aluminum foot pedal, FREE splash pan included, FREE AMACO® 14" Plasti-bat® included, FIVE YEAR WARRANTY.	CXC
110-120V AC*	14" Aluminum with Bat Pins	N/A	\$1175.00	Digital PWM control, which automatically adjusts torque and speed based on load while delivering superior pedal response, solid steel table, electronic speed controls, automatic belt tensioning, 8-groove poly-v drive belt, powerful cast aluminum foot pedal, FREE splash pan included, FREE AMACO® 14" Plasti-bat® included, FIVE YEAR WARRANTY.	C
110-120V AC	14" Aluminum with Bat Pins	N/A	\$1595.00	Digital PWM control, which automatically adjusts torque and speed based on load while delivering superior pedal response, solid steel table, electronic speed controls, automatic belt tensioning, 8-groove poly-v drive belt, powerful cast aluminum foot pedal, FREE splash pan included, FREE AMACO® 14" Plasti-bat® included, FIVE YEAR WARRANTY.	EX
110-120V AC*	12" Aluminum with Bat Pins	N/A	\$975.00	Digital PWM control, which automatically adjusts torque and speed based on load while delivering superior pedal response, solid steel table, electronic speed controls, automatic belt tensioning, 4-groove poly-v drive belt, powerful cast aluminum foot pedal, FREE splash pan included, FREE AMACO® 12" Plasti-bat® included, FIVE YEAR WARRANTY.	B
110-120V AC*	12" Aluminum with Bat Pins	N/A	\$549.00	Electronic speed controls, 3/16" angle iron frame, high density 1" wood table with laminate finish, self-tensioning 4-groove poly-v drive belt, powerful cast aluminum foot pedal, removable legs, FREE AMACO® 12" Plasti-bat® included, FIVE YEAR WARRANTY.	IE
110-120V AC*	12" Aluminum with Bat Pins	N/A	\$895.00	Electronic speed controls, sturdy sheet metal frame, high density 1" wood table with laminate finish, automatic belt tensioning, powerful cast aluminum foot pedal, 4-groove poly-v drive belt, FREE AMACO® 12" Plasti-bat® included, FIVE YEAR WARRANTY.	A
110-120V AC	14" Aluminum with Bat Pins	N/A	\$749.00	Electronic speed controls, 3/16" angle iron frame, high density 1" wood table with laminate finish, self-tensioning 4-groove poly-v drive belt, reversing switch, powerful cast aluminum foot pedal, removable legs, FREE splash pan included, FREE AMACO® 14" Plasti-bat® included, FIVE YEAR WARRANTY.	IE-X

\* 220V wiring for Europe also available.

# AMACO® /BRENT® POTTER'S WHEEL COMPARISON CHART

Wheel Model Photos are shown to scale for size comparison.	Capacity	Motor	Dimensions	Shipping Weight	RPM/ Speed	Drive
<b>IE-T</b> 	20 lbs.	Permanent Magnet, DC 1/4 HP 5 amps	18" w 24 3/4" d 13 1/2" h	72 lbs.	Variable 0-240 rpm	Belt
<b>J</b> 	50 lbs.	N/A	43" w 46" d 30" h	295 lbs.	Variable Kick	Reinforced concrete flywheel
<b>EJ</b> 	50 lbs.	Permanent Magnet, AC 1/4 HP 5 amps	43" w 46" d 30" h	326 lbs.	Variable Kick, Power Assist	Foot lever operated reduction transmission
<b>16</b> 	50 lbs.	Permanent Magnet, DC 1/2 HP 5 amps	47 3/4" w 32" d	310 lbs.	Variable 0-240 rpm	Belt
<b>15</b> 	50 lbs.	1/3 HP 10 amps Constant Torque AC	22" w 25" d 23" h	119 lbs.	Variable 0-240 rpm	Ring Cone
<b>No. 1</b>  <i>Shown on Stand No. 1B.</i>	50 lbs.	Permanent Magnet, AC 1/3 HP 8 amps	24" w 17" d 12" h	68 lbs.	2 Speed 65 rpm or 95 rpm	Enclosed reduction gear transmission
<b>No. 2C</b>  <i>Shown on Stand No. 1B.</i>	50 lbs.	Permanent Magnet, DC 1/2 HP 8 amps	24" w 17" d 12" h	67 lbs.	Variable 0-240 rpm	Enclosed reduction gear transmission

# AMACO® /BRENT® POTTER'S WHEEL COMPARISON CHART

Voltage	Wheel Head	Shaft Bore	Price	Special Features	Wheel Model
110-120V AC*	12" Aluminum with Bat Pins	N/A	\$549.00	Electronic speed controls, 3/16" angle iron frame, high density 1" wood table with laminate finish, self-tensioning 4-groove poly-v belt, powerful cast aluminum foot pedal/handle with 9 foot cord, CAN BE SHIPPED UPS, portable, FREE AMACO® 12" Plasti-bat® included, FIVE YEAR WARRANTY.	IE-T
None	14" Aluminum with Bat Pins	1"	\$1325.00	High density 1" wood seat and table with laminate finish, adjustable seat, frame constructed of 1 1/4" welded steel pipe, 30"/135 lb. concrete flywheel is rough on top for kicking and smooth around the rim for braking, 11" steel steps allow additional height when throwing tall pots, optional motor kit, FREE splash pan included, FREE AMACO® 14" Plasti-bat® included, FIVE YEAR WARRANTY.	J
110-120V AC*	14" Aluminum with Bat Pins	1"	\$1950.00	High density 1" wood seat and table with laminate finish, adjustable seat, frame constructed of 1 1/4" welded steel pipe, 30"/135 lb. concrete flywheel is rough on top for kicking and smooth around the rim for braking, 11" steel steps allow additional height when throwing tall pots, two power options — foot or motor, FREE splash pan included, FREE AMACO® 14" Plasti-bat® included, FIVE YEAR WARRANTY.	EJ
110-120V AC*	12" Aluminum with Bat Pins	3/4"	\$1995.00	Wheel chair accessible, wheel head adjusts from 19 1/2" to 34" in height, reversible, fits through any 36" door, four hard rubber casters for mobility, four rubber feet raise casters off the floor for stability while throwing, welded steel frame, high density 1" side tables with laminate surface, hand lever/foot pedal, FREE splash pan included, TWO YEAR WARRANTY.	16
110-120V AC*	12" Aluminum with Bat Pins	3/4"	\$1295.00	Steel frame and non-corrosive cast aluminum work surface, combination hand lever/foot pedal, constant torque motor delivers power equal to most 1/2 hp wheels, reversible, portable, FREE splash pan included, TWO YEAR WARRANTY.	15
110-120V AC	12" Aluminum Special Head available	5/8"	\$1125.00	One piece non-corrosive aluminum work table, enclosed reduction gear/direct drive transmission allows throwing larger pieces without speed reduction and quiet operation, two speeds, four rubber feet eliminate vibration, optional stand with seat available, TWO YEAR WARRANTY.	No. 1
110-120V AC*	12" Aluminum Special Head available	5/8"	\$1395.00	One piece, non-corrosive aluminum work table, enclosed reduction gear/direct drive transmission allows throwing larger pieces without speed reduction and quiet operation, four rubber feet eliminate vibration, optional stand with seat available, powerful cast aluminum foot pedal, TWO YEAR WARRANTY.	No. 2C

\* 220V wiring for Europe also available.